

SIRIUS, Diagnostics display for modular Safety system 3RK3 for displaying diagnostics data of the MSS



General technical data

Product brand name		SIRIUS
Product category		Modular safety system
Product designation		Diagnostics module
Protection class IP on the front		IP54
Installation altitude at height above sea level maximum	m	2 000
Ambient temperature		
• during operation	°C	-25 ... +60
• during storage	°C	-40 ... +80
• during transport	°C	-40 ... +80
Design of the interface		system interface
Number of keys		4
Number of status displays		3
Number of displays		1

Installation/ mounting/ dimensions

Mounting position		vertical
Mounting type		screw fixing
Width	mm	96

Height	mm	60
Depth	mm	33

Certificates/approvals

General Product Approval	EMC	Functional Safety/Safety of Machinery	Test Certificates
 CSA	 UL	 EAC	 C-Tick

[Miscellaneous](#)

[Type Test Certificates/Test Report](#)

other

[Confirmation](#)



Profibus

Safety related data

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RK3611-3AA00>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RK3611-3AA00>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RK3611-3AA00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RK3611-3AA00&lang=en





last modified:

05/04/2019 [↗](#)